

ifoam_{pro}

Intelligent active foam generator



DATA SHEET

ENG

TEGRAS
concept

ifoampro



Total Control in One Finger
 Unique in its category, featuring the EasyTouch, touch screen system for controlling the equipment and visualize plenty of parametres.

20°

Adjustable Angle Lance
 intended for foam injection and high pressure rinse

140°



Hidrobrush
 High pressure revolving nozzle to descale the most persistent fats.

rotayet



Remote control
 of the main functions with membrane keyboard (optional)



Removeable front panel for Chemical
 Packaging system "Bag in Box" safe handling comfortable and safe





ifoampro


TECHNICAL FEATURES

Electric power supply	220 V / 50Hz 110 V - 60 Hz
Hydraulic supply with mains hot water	min.1 bar/14 psi max. 60°C
Length of hose	8 mts / 26 ft
Pump power	High Press. 150 Bar/ 2175 psi Low Press. 8 Bar/ 116 psi
Noise level	Under 70 dB
Control panel	Tactil panel 7" HMI
High pressure pump power	220V = 2200 W 110 V = 1500 W
Structure material	Stainless Steel
Dimensions	L x A x Al 575 x 410 x 1135 mm L x W x H 22,6 x 16 x 44,6 pulg
Unloaded weight	67 Kg / 147 Lb



Active foam generator systems

Optional accessories	Description	Reference	Weights and measures
	Ergonomic remote control	AC3303120	170 x 75 x 42 mm 0.10 Kg / 0.22 Lb
	Degreaser Comegras AF "Bag in Box"	PQ8100121	24 x 24 x 24 cm 10 Kg / 22 Lb
	Water hose extension 49 ft	HE7300200	40 x 13 x 40 cm / 4 Kg
	Universal tap adapter	AC6200003	15 x 5 x 8 cm / 0.1 kg





teinnovacleaning.com

