




ACCESS DOORS AND DUCT DRAINS

EN

TEINNOVA®



contents



01

ACCESS DOORS FOR INSPECTION
AND CLEANING FOR AIR DUCTS



02

ACCESS DOORS FOR INSPECTION
AND CLEANING OF EXTRACTION SYSTEMS



03

CUTTING TOOLS FOR DUCTS



04

OTHER RELATED PRODUCTS





Description

Access doors for the inspection and cleaning of the interior of air conditioning and ventilation ducts, easily and quickly operated without the need for any tools, they achieve a perfect seal thanks to their double body and airtight gasket, they allow you to comply with current standards.


Regulations

1. Duct networks must be equipped with access doors in accordance with standard UNE-ENV 12097 to allow for cleaning and disinfection.
2. Elements installed in a duct network must be removable and have an access door or a removable conduit section to allow for maintenance operations. They must be placed at least every 10 m.
3. False ceilings must have inspection hatches that match the position of the doors in the ducts and the devices located in them.

Technical info




- Structure material:** Galvanized sheet steel or stainless steel.
- Knob material:** Polyamide plastic.
- Seal material:** Polyethylene.
- Available sizes:** 150x250; 300x200; 400x300.
- Range of curvatures:** From 100 to 800 mm in diameter.



01 ACCESS DOORS FOR INSPECTION AND CLEANING FOR AIR DUCTS

AIR DUCTS




TYPE OF DUCT	Size A x B mm and weight	Diameter Ød in mm	Product Code	Units/Pack
PLANODOORS FOR FLAT DUCTS 	200 x 100 mm / 0,5 kg	---	AC6102010	10
	250 x 150 mm / 0,5 kg	---	AC6102515	5
	300 x 200 mm / 0,5 kg	---	AC6103020	5
	400 x 300 mm / 1 kg	---	AC6104030	5


TYPE OF DUCT	Size A x B mm and weight	Diameter Ød in mm	Product Code	Units/Pack
DOORS FOR CURVED DUCTS 	250 x 150 mm / 1 kg	Ø200 - Ø250	AC6112525	5
	300 x 200 mm / 1,3 kg	Ø315 - Ø355	AC6113035	5
	300 x 200 mm / 1,3 kg	Ø400 - Ø450	AC6113045	5
	400 x 300 mm / 1,8 kg	Ø500 - Ø560	AC6114056	5
	400 x 300 mm / 1,8 kg	Ø630	AC6114063	5

DESCRIPTION

Access doors for the inspection and cleaning of the interior of air conditioning and ventilation ducts, easily and quickly operated without the need for any tools, they achieve a perfect seal thanks to their double body and airtight gasket, they allow you to comply with current standards.



1. Apply the self-adhesive template to the duct wall [included with the product]. The prices shown do not include VAT or transport



2. Cut around the edge of the template to create the opening [see cutting tool on page 6]




3. Unscrew the knobs to their limit, insert the door slightly angled and tighten the knobs to their limit.



01

Access doors for ducts





12 ACCESS DOORS FOR INSPECTION AND CLEANING

OF EXTRACTION SYSTEMS



02

Access doors for ducts




DESCRIPTION


Access doors for the inspection and cleaning of the interior of fume extraction ducts, can be used simply and quickly, with no tools, they provide a perfect seal thanks to their double body and their fire resistant ceramic fibre seal, with metallic knobs they can comply with current regulations.

TYPE OF DUCT	Size A x B mm and weight	Diameter Ød in mm	Product Code	Units/Pack
DOOR FOR FLAT DUCTS 	250 x 150 mm / 0,5 kg	---	AC6122515	5
	300 x 200 mm / 0,5 kg	---	AC6123020	5
	400 x 300 mm / 2,2 kg	---	AC6124030	5

TYPE OF DUCT	Size A x B mm and weight	Diameter Ød in mm	Product Code	Units/Pack
DOOR FOR CURVED DUCTS 	250 x 150 mm / 1 kg	Ø200 - Ø250	AC6132525	5
	300 x 200 mm / 1 kg	Ø300 - Ø350	AC6133035	5
	300 x 200 mm / 1 kg	Ø400 - Ø450	AC6133045	5
	300 x 200 mm / 1 kg	Ø500 - Ø700	AC6134050	5



1. Apply the self-adhesive template to the duct wall [included with the product]. The prices shown do not include VAT or transport



2. Cut around the edge of the template to create the opening [see cutting tool on next page]







3. Unscrew the knobs to their limit, insert the door slightly angled and tighten the knobs to their limit.



13 CUTTING TOOLS FOR DUCTS



PRODUCT	DESCRIPTION	ACCESSORIES
<p>REVERSIBLE PNEUMATIC DRILL</p> 	<p>When connected to the auxiliary output of the air compressor, it is ideal for making holes in the ducts with no risk of an electric spark.</p> <p>COD HE7100100</p>	<p>CROWN DRAIN</p> <p>Ø33 mm CODE HE7100101</p> 
<p>PNEUMATIC JIGSAW</p> 	<p>The ideal cutting tool for fitting duct cleaning access doors. Precise cutting with no risk of sparks that could cause fires inside the duct.</p> <p>CODE HE7100200</p>	<p>SAW BLADES</p> <p>Pack 10 units CODE HE7100201</p> 





4 OTHER RELATED PRODUCTS



Other related products

DESCRIPTION	TYPE OF PRODUCT	DIAMETER Ø mm	CURVATURE Ø	PRODUCT CODE	PRICE
<p>DRAINS UNIVERSALS FOR DRIVERS PLANE AND CURVED</p> <p>Drain made of stainless steel for the removal of chemicals or other liquids during the cleaning of the duct. Quick and easy to fit.</p>		26 mm 1" pulgada	Ø200 - Ø1000	AC6203580	41 €

DESCRIPTION	ACCESSORIES	DIAMETER Ø mm	LENGTH	PRODUCT CODE	PRICE
<p>TUBE FOR DUCT DRAIN</p> <p>Tube that connects the drainage of the conduit with the container where the waste is collected.</p> 		26 mm 1" pulgada	500 x 350 x 420 mm 2 kg	AC6200002	130 €

TEINNOVA®



teinnovacleaning.com

