


# venet

Ventilation and air-conditioning duct cleaning and extraction equipment



**ELECTRIC**  
For ducts of  
**50 to 400 mm**  
Hose length  
**10 m**

Compact equipment that integrates a cleaning and suction system in the same machine. Cleaning is carried out by means of a mechanical brush with a rotating flexible shaft that allows it to clean small-section ducts.

## INCLUDED ACCESSORIES ▼




**VACUUM HOSE.**  
Ø160 mm, 3,33 m of length  
AC3101319



**ADAPTER HOSE DUCT.** Ø160 mm  
AC3101404




**FLEXIBLE SHAFT WITH BAG.**  
10 m. Ø50-250 mm  
AC3303614



**F7 AND H13 FILTERS.**  
400 X 400 X 21. 1 unit.  
400 X 400 X 46. 1 unit.




**REMOTE CONTROL.**  
AC3303605




**NYLON BRUSH.**  
Ø250 mm,  
CP4000250

## OPTIONAL ACCESSORIES ▼



**PACK FINE NYLON BRUSHES.**  
Ø300 | 350 | 400 mm  
CP2103040



**PACK NYLON SQUARE DUCT BRUSHES.**  
Ø300 | 350 | 400 mm  
CP2104055




**FLEXIBLE SHAFT.**  
15 m.  
Ø300-400 mm  
AC3303615


## CONSUMABLES ▼



**F7 FILTER.**  
400 x 400 x 21. x unids  
AC1300007



**H13 HEPA FILTERS.**  
400 x 400 x 46. x unids  
AC1300013



**NYLON BRUSH.**  
Ø250 mm,  
CP4000250

## TECHNICAL FEATURES

venet

Maximum power equipment:	230V-110V / 50 - 60Hz 0,7 kW // 0,94 HP
Maximum power consumption:	3 A
Suction power:	0,27 kW
Maximum suction flow rate:	1600 m <sup>3</sup> /h
Maximum depression:	600 Pa
Operating point:	1000m <sup>3</sup> /h a 450 Pa
Filtration level 1:	F7
Filtration level 2:	H13
Degree of separation:	>99 %
Aspiration hose:	Ø160 mm // 3 m / 9,84 ft
Brushing power	0,25kW
Brushing speed:	Adjustable 0 - 1000 rpm
Direction of rotation:	Right / Left
Control system:	Electric
Control panel:	Membrane keyboard
Brushing shaft:	Ø10 mm // 10 m / 32,8 ft
Noise level:	72 dB
Main materials:	Painted steel and HDPE
Dimensions: [L x W x H]	530 x 481 x 926 mm 20,87 x 18,94 x 36,46 inches
Weight:	50 kg // 110,2 lb